

PRIX +

Safety Data Sheet

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** PRIX +
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Ready to use product, designed for cleaning wheel rims from brake dust.
- 1.3 Details of the supplier of the safety data sheet:**
- TENZI Sp. z o.o.
Skarbimierzyce 20
72-002 Dołuje
tel. +48 91 3119777
fax. +48 91 3119779
E-mail address for a competent person responsible for SDS: technolog@tenzi.pl
- 1.4 Emergency telephone number:**
+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

SECTION 2. HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture:**
- Classification according to Regulation (EC) No. 1272/2008:**
Acute Tox. 3 H301 – Toxic if swallowed.
Skin Sens. 1 H317 – May cause an allergic skin reaction.

- 2.2. Label elements:**
(According to 1272/2008/EC*)

Hazard symbols:



Signal words:
DANGER

Hazard statements:
H301 – Toxic if swallowed.
H317 – May cause an allergic skin reaction.

Precautionary statements:
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352 – IF ON SKIN: Wash with plenty of water.
P330 – Rinse mouth.
P405 – Store locked up.

PRIX +

Safety Data Sheet**2.3. Other hazards:**

Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**3.1. Substances:**

Not applicable.

3.2. Mixtures:**Composition (according to: 648/2004/EC):**

- < 5% anionic surfactants
- < 5% amphoteric surfactant
- < 25% ammonium thioglycolate
- auxiliary substances not classified as dangerous.

Identification	Hazardous ingredient/classification	Concentration
CAS: 5421-46-5 WE: 226-540-9 Index: 009-003-00-1 Registration: 01-2119531489-31-0000	Ammonium mercaptoacetate Acute Tox. 3 H301, Skin Sens 1 H317, Met. Corr 1 H290	< 25%
CAS: Not available WE: 931-513-6 Index: Not applicable Registration: 01-2119513359-38-XXXX	1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts Eye Dam. 1 H318, Aquatic Chronic 3 H412	< 2%
CAS: 68891-38-3 WE: 500-234-8 Index: Not applicable Registration: 01-2119488639-16-XXXX	Alcohols, C12-14, ethoxylated, sulfates, sodium salts Skin Irrit. 2 H315, Eye Dam. 1 H318, Aquatic Chronic 3 H412	< 2%

The full texts of H symbols and phrases are in section 16.

SECTION 4. FIRST AID MEASURES**4.1. Description of first aid measures:****Inhalation:**

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air.

If symptoms persist, get medical attention. In case of aerosol coming into contact with respiratory system, there is a chance of respiration and poisoning.

Skin contact:

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin irritation or burns, get medical attention.

Eye contact:

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

PRIX +

Safety Data Sheet

Ingestion:

Wash your mouth and spit everything. Induce vomiting and keep your head down in case of spontaneous vomiting to avoid aspiration problems.

4.2. Most important symptoms and effects, both acute and delayed:**Inhalation:**

After long-term exposure without proper ventilation, it may cause irritation of the upper respiratory tract.

Skin:

It may cause allergic reaction.

Eyes:

If it comes into contact with eyes, it may cause eye irritation.

Ingestion:

Toxic after swallowing.

4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.

Fresh water and eye-wash preparations must be available on the worksite.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media:**Suitable extinguishing media:**

Carbon dioxide, foam, atomized water.

Unsuitable extinguishing media:

Water jet.

5.2. Special hazards arising from the substance or mixture:

Product is non-flammable.

5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:**For non-emergency personnel:**

Protective clothes, chemical resistant gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.

PRIX +

Safety Data Sheet

For emergency responders:

Protective clothes, chemical resistant gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.
Avoid skin and eye contact. Provide proper ventilation..

6.2. Environmental precautions:

Avoid discharge into drains, watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone). Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

6.4. Reference to other sections:

See section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Be careful when working with this product.
Use personal protection recommended in section 8
Mix only with water. DO NOT mix with any other chemical substances.
People with skin allergy or respiratory system problems should not have contact with this product.
Avoid risk – read this instruction sheet carefully before using the product.
After usage, keep container tightly closed and keep it away from unauthorized people.
Use only adequate ventilation to avoid inhalation poisoning.

7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor.
DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

7.3. Specific end use(s):

No data available.

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

NDS/NDSCh/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):

Ammonium mercaptoacetate (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

PRIX +

Safety Data Sheet

1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

DNEL/PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):

Sodium hydroxide (data for highly concentrated substance):

DNEL, PNEC: not identified.

Ammonium mercaptoacetate (data for highly concentrated substance):

DNEL:

Group: workers, Exposure time: > 4h, Exposure route: dermal, Health effects: poisoning, Value 2.06 mg/kg

Group: workers, Exposure time: > 4h, Exposure route: dermal, Health effects: indigenous effects, Value 0.004 mg/cm²

PNEC:

Aqua (marine water): 0.0038mg/l

Aqua (fresh water): 0.038 mg/l

Sediment (fresh water): unintended deregulation.

Soil: unintended deregulation

1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts (data for highly concentrated substance):

DNEL:

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect, Value: 12.5 mg/kg

Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect, Value: 44 mg/m³

Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect, Value: 7.5 mg/kg

Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: systemic effect, Value: 7.5 mg/kg

PNEC:

Aqua (fresh water): 0.0135 mg/l

Aqua (marine water): 0.00135 mg/l

Sediment (fresh water): 1 mg/kg

Sediment (marine water): 0.1 mg/kg

Sewage treatment plant: 3000 mg/l

Soil: 0.8 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (data for highly concentrated substance):

DNEL:

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect, Value: 170 mg/kg

Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect, Value: 12 mg/m³

Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: local effect, Value: 12 mg/m³

Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect, Value: 85 mg/kg

Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect, Value: 3 mg/m³

Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: systemic effect, Value: 0.85 mg/kg

Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: local effect, Value: 3 mg/m³

PNEC:

Aqua (fresh water): 0.287 mg/l

Aqua (marine water): 0.0287 mg/l

Sediment (fresh water): 0.287 mg/kg

Sediment (marine water): 0.287 mg/kg

PRIX +

Safety Data Sheet

Sewage treatment plant: 3.43 mg/l
Intermittent release: 0.0167 mg/l
Soil: 35 mg/kg

NOTE: When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

8.2. Exposure controls:

RESPIRATORY PROTECTION:

In case of insufficient ventilation, wear suitable respiratory equipment - masks with gas and vapour protection.

HAND PROTECTION:

Protective gloves.
0.11 mm thick.

EYE/FACE PROTECTION:

Not needed.

SKIN PROTECTION:

Workwear.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Appearance:	Colorless liquid
Odour:	Intense (unpleasant)
Odour threshold:	No data available
pH:	7 ± 1
Melting point:	No data available
Freezing point:	No data available
Initial boiling point:	No data available
Boiling range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Upper explosive limit:	No data available
Lower explosive limit:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	1.080 ± 0.020 g/cm ³

Solubility:

A) Water:	soluble
B) Organic solvent:	No data available

Partition coefficient N-Octan:	No data available
Partition coefficient Water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available

PRIX +

Safety Data Sheet

Viscosity: No data available
Explosive properties: No data available
Oxidising properties: No data available

9.2. Other information:

Refractive index: Not identified Brix* \pm 5%

* - Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

No data available.

10.2 Chemical stability:

Stable under recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions:

No data available.

10.4 Conditions to avoid:

Avoid heavily warmed rooms without ventilation and long-term exposure to sunlight.

10.5 Incompatible materials:

To avoid exothermic reactions, keep away from strong oxidants.
During reaction with strong alkali, product will exhale ammonia.

10.6 Hazardous decomposition products:

No data available.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

ACUTE TOXICITY:

Inhalation: after long-term exposure without proper ventilation, it may cause irritation of the upper respiratory tract.

Skin contact: may cause allergic reaction.

Eye contact: if it comes into contact with eyes, it may cause eye irritation.

Digestive system: toxic after swallowing

ATE mix = 284 (acute toxicity, orally)

PRIX +

Safety Data Sheet

DETAILS OF PARTICULAR COMPONENTS (according to substance's SDS):

Ammonium mercaptoacetate (data for highly concentrated substance):

May cause allergy in contact with skin.

Data for 71% ammonium thioglycolate substance.

Acute toxicity:

LD50:	50-200 mg/kg	(rat, orally)	(OECD 423)
LD50:	71 mg/kg	(rat, orally)	(OECD 401)
LC50:	> 2.75 mg/l	(rat, inhalation)	(Exposition time: 1h)
LD50:	> 2000 mg/kg	(rat, dermal)	(OECD 402)

Slight skin irritation (rabbit) (OECD 404)

Slight eye irritation (rabbit) (OECD 405)

Causes allergy (guinea pig) (OECD 406)

Causes allergy (mouse) (OECD 429)

Reproductive toxicity:

NOAEL:	20 mg/kg/day	(rat)	(OECD 421)
NOAEL:	20 mg/kg/day	(rat)	(OECD 416)

Teratogenicity:

NOEL:	75 mg/kg	(rat, orally)	(OECD 414)
--------------	----------	---------------	------------

There weren't any teratogenicity effects.

Non-ionic surfactant (data for highly concentrated substance):

Risk of seriously damaging eyes.

Inhaling aerosol may cause irritation of the mucous membranes.

Thermal decomposition may create harsh gas and vapour.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts (data for highly concentrated substance):

LD50:	> 630 mg/kg	(rat, dermal)
LD50:	2430 mg/kg	(rat, orally)

Irritates skin.

Seriously damages eyes.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (data for highly concentrated substance):

LD50:	1470 mg/kg	(rat, orally)
LD50:	2000 mg/kg	(rat, dermal)

Slightly irritates skin.

Strongly irritates eyes.

PRIX +

Safety Data Sheet

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity:

Data for the mixture ingredients:

Ammonium mercaptoacetate (data for highly concentrated substance):

LC50:	>100 mg/l/96h	(fish)	(OECD 203)
EC50:	38 mg/l/48h	(daphnia)	(84/449/EWG)
EC50:	13 mg/l/72h	(algae)	(OECD 201)
EC50:	530 mg/l/3h	(bacteria)	(OECD 209)

1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts (data for highly concentrated substance):

EC50:	1.9 mg/l/96h	(daphnia)	(OECD 202)
ErC50:	2.4 mg/l/72h	(algae)	
ErC50:	7 mg/l/72h	(daphnia)	(ISO)
LC50:	1.11 mg/l/96h	(fish)	(OECD 203)
EC50:	3000 mg/l/16h	(bacteria)	(ISO)
NOEC:	0.3 mg/l/21 days	(daphnia)	(OECD 211)
NOEC:	0.135 mg/l/100days	(fish)	(OECD 210)
NOECr:	0.6 mg/l/72h	(algae)	

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (data for highly concentrated substance):

EC50:	1-10 mg/l/96h	(fish, Lepomis macrochirus)
EC50:	1-10 mg/l/48h	(daphnia)
IC50:	1-10 mg/l	(algae)

12.2. Persistence and degradability:

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

Data for the mixture ingredients:

Substance	Method	Length	Degraded percentage
Thioglycolic acid	OECD 301C	28 days	100%
Thioglycolic acid	OECD 301D	28 days	70%
Thioglycolic acid 99%	OECD 301A	28 days	21%
1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts	OECD 306	28 days	76%
1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts	ISO	60 days	80-90%
1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts	EU 92/69/EWG	28 days	95%
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	OECD 301	28 days	> 60%

PRIX +

Safety Data Sheet

12.3. Bioaccumulative potential:

Ammonium mercaptoacetate (data for highly concentrated substance):

Log Pow: -2.99

pH: 7

BCF: 1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment:

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII..

12.6. Other adverse effects:

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

RESIDUES AND WASTES:

DO NOT mix with other liquid wastes.

DO NOT empty into sewage system. Product should be totally used up according to its description.

If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

13.1. Waste treatment methods:

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

SECTION 14. TRANSPORT INFORMATION

TRADE NAME: PRIX +

- 14.1. UN Number: 2810
14.2. UN proper shipping name: Toxic liquid, organic, N.O.S. (ammonium thioglycolat)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: III
14.5. Environmental hazards: No..
14.6. Special precautions for user: For more details see Sections 6 and 8.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: No data available.

WARNING LABELS



PRIX +

Safety Data Sheet**SECTION 15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- 1) COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 2) REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.
- 3) COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto.
- 4) REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
- 5) COMMISSION REGULATION (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).
- 6) REGULATION (EU) No 259/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 March 2012 amending Regulation (EC) No 648/2004 as regards the use of phosphates and other phosphorus compounds in consumer laundry detergents and consumer automatic dishwasher detergents.
- 7) REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors).
- 8) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

15.2. Chemical safety assessment**For mixture:**

A Chemical Safety Assessment has not been carried out.

For following mixture substances:**Sodium hydroxide:**

A Chemical Safety Assessment has been carried out.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18(even numbered) acyl) derivs, hydroxides, inner salts:

A Chemical Safety Assessment has been carried out.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts: A Chemical Safety Assessment has been carried out.**SECTION 16. OTHER INFORMATION**

Information above is based on current knowledge of product in its current form.

All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

The full list of symbols and H phrases from Section 2 and 3:

- Acute Tox. 3** – Acute toxicity, category 3.
Skin Sens. 1 – Allergic skin reaction, category 1.
Met. Corr. 1 – Substance/Mixture is corrosive to metals, category 1

- H290** – May be corrosive to metals.
H301 – Toxic if swallowed.
H317 – May cause an allergic skin reaction.

PRIX +

Safety Data Sheet

More information on the product can be found on the specific technical data sheet which is available on www.tenzi.pl

Training:

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

Expiry date:

36 months from the production date (if product is stored according to the producent recommendations)

PRIX + was submitted to Inspector for Chemical Substances.

Changes compared to the previous version:

- Section 3

Updated cards versions are now available on www.tenzi.pl

This Safety Data Sheet contains 12 pages. Changes in the content by unauthorized people is prohibited.