

## PROSZEK DO PRANIA EX

### Safety Data Sheet

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** PROSZEK DO PRANIA EX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Low-foaming powder designed for laundering upholsterings (velour, material), ceiling linings, floor-coverings and carpets by extraction method with the help of dosing-extracting devices.
- 1.3 Details of the supplier of the safety data sheet:**  
TENZI Sp. z o.o.  
Skarbimierzyce 20  
72-002 Dołuje  
tel. +48 91 3119777  
fax. +48 91 3119779  
E-mail address for a competent person responsible for SDS: [technolog@tenzi.pl](mailto:technolog@tenzi.pl)
- 1.4 Emergency telephone number:**  
+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

#### SECTION 2. HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture:**  
**Classification according to Regulation (EC) No. 1272/2008:**  
**Skin Corr. 1B H314** – Causes severe skin burns and eye damage.  
**Eye Dam. 1 H318** – Causes serious eye damage.

- 2.2. Label elements:**  
(According to 1272/2008/EC\*)

Hazard symbols:



**Signal words:**  
DANGER

**Hazard statements:**  
**H314** – Causes severe skin burns and eye damage.

**Precautionary statements:**  
**P280** – Wear protective gloves/protective clothing/eye protection/face protection.  
**P301+P330+P331** – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
**P303+P361+P353** – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
**P305+P351+P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## PROSZEK DO PRANIA EX

### Safety Data Sheet

**P310** – Immediately call a POISON CENTER/doctor  
**P405** – Store locked up.

**2.3. Other hazards:**

Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**3.1. Substances:**

Not applicable.

**3.2. Mixtures:**

**Composition (according to: 648/2004/EC):**

- 15-30% silicates
- 15-30% bleaching agents based on oxygen
- < 5% anionic surfactants
- enzymes
- auxiliary substances not classified as dangerous

Identification	Hazardous ingredient/classification	Concentration
CAS: 497-19-8 WE: 207-838-8 Index: 011-005-00-2 Registration: 01-2119485498-19-XXXX	<b>Sodium carbonate</b>  Eye Irrit. 2 H319	< 15%
CAS: 15630-89-4 WE: 239-707-6 Index: No data available Registration: 01-2119457268-30-XXXX	<b>Sodium percarbonate</b>  Ox. Sol. 2 H272, Acute Tox. 4 H302, Eye Dam 1 H318	< 10%
CAS: 10213-79-3 WE: 229-912-9 Index: No data available Registration: No data available	<b>Sodium metasilicate</b>  Skin Corr. 1B H314, STOT SE 3 H335, Met. Corr. 1 H290	< 10%
CAS: 1344-09-8 WE: No data available Index: No data available Registration: 01-2119448725-31-XXXX	<b>Sodium silicate</b>  Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335	< 10%
CAS: 68439-57-6 WE: No data available Index: No data available Registration: No data available	<b>Anionic surfactants</b>  Skin Irrit. 2 H315, Eye Dam. 1 H318	< 2%

The full texts of H symbols and phrases are in section 16.

## PROSZEK DO PRANIA EX

### Safety Data Sheet

#### SECTION 4. FIRST AID MEASURES

##### 4.1. Description of first aid measures:

**Inhalation:**

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air. Lay him down in semi-recumbent posture and make sure to keep him calm and warm. Get medical attention.

**Skin contact:**

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin changes or burns, get medical attention.

**Eye contact:**

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

**Ingestion:**

Do not induce vomiting. Get lots of water to drink. Do not take any neutralizing agents. Get medical attention and show them this SDS or product's label.

##### 4.2. Most important symptoms and effects, both acute and delayed:

**Inhalation:**

In case of long-time exposure without proper ventilation system, it may cause irritation of the upper respiratory tract.

**Skin:**

Causes serious skin burns.

**Eyes:**

Causes severe eye damage

**Ingestion:**

May cause irritation of the mucous membranes.

##### 4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.

Fresh water and eye-wash preparations must be available on the worksite.

#### SECTION 5. FIREFIGHTING MEASURES

##### 5.1. Extinguishing media:

**Suitable extinguishing media:**

Use extinguishing measures that are appropriate to local circumstances and surrounding environment.

**Unsuitable extinguishing media:**

Do not use water jet on substance's surface.

##### 5.2. Special hazards arising from the substance or mixture:

Product is non-flammable.

##### 5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

## PROSZEK DO PRANIA EX

### Safety Data Sheet

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

##### 6.1. Personal precautions, protective equipment and emergency procedures:

###### For non-emergency personnel:

Protective chemical-proof gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.

###### For emergency responders:

Protective clothes, protective chemical-proof gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.

##### 6.2. Environmental precautions:

Avoid discharging the product into sewage system and onto the ground.

##### 6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone). Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

##### 6.4. Reference to other sections:

See section 8 and 13.

#### SECTION 7. HANDLING AND STORAGE

##### 7.1. Precautions for safe handling:

Be careful when working with this product.

Use personal protection recommended in section 8

Mix only with water. DO NOT mix with any other chemical substances.

People with skin allergy or respiratory system problems should not have contact with this product.

Avoid risk – read this instruction sheet carefully before using the product.

After usage, keep container tightly closed and keep it away from unauthorized people.

Use only adequate ventilation to avoid inhalation poisoning.

##### 7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor.

DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

##### 7.3. Specific end use(s):

No data available.

#### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

##### 8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

**NDS/NDSch/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):**

## PROSZEK DO PRANIA EX

### Safety Data Sheet

**Sodium carbonate (data for highly concentrated substance):**

NDS: 10 mg/m<sup>3</sup>  
NDSCh: not identified.  
NDSP: not identified.

**Sodium percarbonate (data for highly concentrated substance):**

NDS, NDSCh, NDSP: not identified.

**Sodium metasilicate (data for highly concentrated substance):**

NDS, NDSCh, NDSP: not identified.

**Sodium silicate (data for highly concentrated substance):**

NDS: 2 mg/m<sup>3</sup>  
NDSCh: not identified.  
NDSP: not identified.

**Anionic surfactants (data for highly concentrated substance):**

NDS, NDSCh, NDSP: not identified.

**DNEL /PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):**

**Sodium carbonate (data for highly concentrated substance):**

In contact with body fluids, sodium carbonate dissociates.  
In case of small dose (orally), stomach acid neutralizes the substance.

**Sodium percarbonate (data for highly concentrated substance):**

DNEL, PNEC: not identified.

**Sodium metasilicate (data for highly concentrated substance):**

DNEL, PNEC: not identified.

**Sodium silicate (data for highly concentrated substance):**

**DNEL:**

Group: workers, Exposure time: long-term, Exposure route: dermal,	Value: 1.59 mg/kg
Group: workers, Exposure time: long-term, Exposure route: inhalation,	Value: 5.61 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: dermal,	Value: 0.8 mg/kg
Group: consumers, Exposure time: long-term, Exposure route: inhalation,	Value: 1.38 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: ingestion,	Value: 0.8 mg/kg

**PNEC:**

Aqua (fresh water): 7.5 mg/l  
Aqua (marine water): 1.0 mg/l  
Sewage treatment plant: 348 mg/l

**Anionic surfactants (data for highly concentrated substance):**

**DNEL:**

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: system disorder,	Value: 2158.33 mg/kg
Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: system disorder,	Value: 152.22 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: system disorder,	Value: 1295 mg/kg
Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: system disorder,	Value: 45.04 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: system disorder,	Value: 12.95 mg/kg

## PROSZEK DO PRANIA EX

### Safety Data Sheet

**PNEC:**

Aqua (fresh water):	0.024 mg/l
Aqua (marine water):	0.0024 mg/l
Sediment (fresh water):	0.767 mg/kg
Sediment (marine water):	0.0767 mg/kg
Sewage treatment plant:	348 mg/l
Intermittent release:	0.0197 mg/l
Soil:	1.21 mg/kg

**NOTE:** When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

**8.2. Exposure controls:****RESPIRATORY PROTECTION:**

In case of insufficient ventilation and long-time exposure, it is recommended to wear a gas mask with dust absorber.

**HAND PROTECTION:**

When working with concentrated product, it is recommended to wear protective chemical-proof gloves (0.11 mm thick).

**EYE/FACE PROTECTION:**

When working with concentrated product, it is recommended to wear safety glasses.

**SKIN PROTECTION:**

Protective clothes.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties:**

<b>Appearance:</b>	Powder
<b>Odour:</b>	Characteristic for chemical substances used in production
<b>Odour threshold:</b>	No data available
<b>pH:</b>	12 ± 1 (1% water solution)
<b>Melting point:</b>	No data available
<b>Freezing point:</b>	No data available
<b>Initial boiling point:</b>	No data available
<b>Boiling range:</b>	No data available
<b>Flash point:</b>	No data available
<b>Evaporation rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper flammability limit:</b>	No data available
<b>Lower flammability limit:</b>	No data available
<b>Upper explosive limit:</b>	No data available
<b>Lower explosive limit:</b>	No data available
<b>Vapour pressure:</b>	No data available
<b>Vapour density:</b>	No data available
<b>Relative density:</b>	0.850 ± 0.950 g/cm <sup>3</sup>
<b>Solubility:</b>	
<b>A) Water:</b>	soluble
<b>B) Organic solvent:</b>	No data available

## PROSZEK DO PRANIA EX

### Safety Data Sheet

**Partition coefficient N-Octan:** No data available  
**Partition coefficient Water:** No data available  
**Auto-ignition temperature:** No data available  
**Decomposition temperature:** No data available  
**Viscosity:** No data available  
**Explosive properties:** No data available  
**Oxidising properties:** No data available

#### 9.2. Other information:

**Refractive index:** Not identified Brix\*  $\pm$  5%

\* - Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No data available.

#### 10.2 Chemical stability:

Stable under recommended storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions:

No data available.

#### 10.4 Conditions to avoid:

Very high temperature, dampness

#### 10.5 Incompatible materials:

Strong acids.

#### 10.6 Hazardous decomposition products:

No data available.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

##### ACUTE TOXICITY:

##### Inhalation:

In case of long-time exposure and without proper ventilation system, it may cause irritation of the upper respiratory tract.

##### Skin:

Corrosive. Causes serious skin burns.

##### Eyes:

Corrosive. Causes serious eye damage.

##### Ingestion:

May cause irritation and burning of the mucous membranes.

## PROSZEK DO PRANIA EX

### Safety Data Sheet

ATEmix = 10350 (acute toxicity, orally)

#### DETAILS OF PARTICULAR COMPONENTS (according to substances SDS):

##### Sodium carbonate (data for highly concentrated substance):

**LD50:** > 2000 mg/kg (rat, orally)  
**LC50:** 2300 mg/kg (rat, inhalation)  
**LD50:** 2000 mg/kg (rabbit, dermal)  
**NOAEL:** 0.07 mg/l (rat, inhalation)

Causes eye irritation (rabbit, OECD 405).  
Doesn't cause skin irritation.  
No mutagenic effects.

##### Sodium percarbonate (data for highly concentrated substance):

**LC50:** 1034-2000 mg/kg (rat, orally)  
**LC50:** > 2000 mg/kg (rabbit, dermal)  
**LD50:** > 4580 mg/kg (rat, inhalation)

Causes skin irritation and strong eye irritation.  
Swallowing causes vomiting, nausea and burns in stomach.  
No allergic or mutagenic effects.

##### Sodium metasilicate (data for highly concentrated substance):

**LD50:** 1152-1349 mg/kg (rat, orally)  
**LC50:** > 2.06mg/m<sup>3</sup> (rat, nhalation)  
**LD50:** > 5000 mg/kg (rat, dermal)

Corrosive to skin.  
Corrosive to eyes.  
No allergic effects.  
No mutagenic effects.  
No reproductive problems

##### Sodium silicate (data for highly concentrated substance):

**LD50:** 3400 mg/kg (rat, orally)  
**LD50:** 2.06 mg/m<sup>3</sup> (rat, inhalation)  
**LD50:** 5000 mg/kg (rat, dermal)  
**NOAEL:** > 159 (rat)

Irritates skin.  
Causes serious eye damage.  
No allergic effects.  
No mutagenic effects.  
No carcinogenic effects.

##### Anionic surfactants (data for highly concentrated substance):

Sulfonic acid sodium salt, hydroxyalkane C14-16 and alkane C14-16.

**LC50:** > 52 mg/l/4h (rat, inhalation)  
**LD50:** 6300-13500 mg/kg (rabbit, dermal)  
**LD50:** 2079 mg/kg (rat, orally)



## PROSZEK DO PRANIA EX

### Safety Data Sheet

Skin irritation	(rabbit)	(OECD 404)
Eye irritation	(rabbit)	(OECD 404)
No allergic effect	(guinea pig)	(OECD 406)

### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity:

##### Data for the mixture ingredients:

##### Sodium carbonate (data for highly concentrated substance):

LC50:	300 mg/l/96h	(fish, <i>Leopomis macrochirus</i> )
EC50:	200-227 mg/l/48h	(crustaceans, <i>Ceriodaphnia dubia</i> )

##### Sodium percarbonate (data for highly concentrated substance):

LC50:	70.7 mg/l/96h	(fish, <i>Pimephales promelas</i> )	(OECD SIDS)
EC50:	4.9 mg/l/48h	(daphnia, <i>Daphnia magna</i> )	(OECD SIDS)

##### Sodium metasilicate (data for highly concentrated substance):

LC50:	210 mg/l/96h	(fish, <i>Brachydanio rerio</i> )
EC50:	1700 mg/l/48h	(daphnia, <i>Daphnia magna</i> )
EC50:	207 mg/l/72h	(algae, <i>Scenedesmus subspicatus</i> )

##### Sodium silicate (data for highly concentrated substance):

LC50:	1108 mg/l/96h	(fish, <i>Brachydanio rerio</i> )
EC50:	1700 mg/l/48h	(daphnia, <i>Daphnia magna</i> )

##### Anionic surfactants (data for highly concentrated substance):

LC50:	4.2 mg/l/96h	(fish)	(OECD 203)
ErC50:	5.2 mg/l/72h	(algae)	(ISO 10253:2006)
EC50:	4.53 mg/l/48h	(daphnia)	(OECD 202)

#### 12.2. Persistence and degradability:

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

##### Data for the mixture ingredients:

##### Sodium carbonate (data for highly concentrated substance):

Inorganic substance.

##### Sodium percarbonate (data for highly concentrated substance):

Sodium percarbonate dissociates into hydrogen peroxide and sodium carbonate. Hydrogen peroxide quickly degrades in biological sewage plants. (OECD SIDS).

## PROSZEK DO PRANIA EX

### Safety Data Sheet

**Sodium metasilicate (data for highly concentrated substance):**

Substance undergoes hydrolyze when in water.

Because of the good solubility in water, substance may sink into groundwaters and may be detected far away from the place of spill.

**Sodium silicate (data for highly concentrated substance):**

Soluble silica originating from soluble silicate is indistinguishable from natural silicates with geochemical processes of mineral decomposition.

**Anionic surfactants (data for highly concentrated substance):**

Biodegradability in marine water: 92% in 28 days, OECD 306.

Biodegradability: 80% in 28 days, OECD 301 B.

**12.3. Bioaccumulative potential:****Sodium carbonate (data for highly concentrated substance):**

Does not cumulate in living tissues.

**Sodium percarbonate (data for highly concentrated substance):**

Both hydrogen peroxide and sodium carbonate are inorganic. They are not bioaccumulative. (OECD SIDS).

**Sodium metasilicate (data for highly concentrated substance):**

Low bioaccumulative potential.

**Sodium silicate (data for highly concentrated substance):**

Substance is not bioaccumulative.

**Anionic surfactants (data for highly concentrated substance):**

Low bioaccumulative potential.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment:**

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII.

**12.6. Other adverse effects:**

The contents of phosphorous compounds in surface waters causes increase in intensity of algae, cyanobacteria and embryophytes production. The more phosphates gets their way into collector along with sewage, the more chance for eutrophication the water.

### SECTION 13. DISPOSAL CONSIDERATIONS

**RESIDUES AND WASTES:**

DO NOT mix with other liquid wastes.

DO NOT empty into sewage system. Product should be totally used up according to its description.

If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

**13.1. Waste treatment methods:**

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

## PROSZEK DO PRANIA EX

### Safety Data Sheet

#### SECTION 14. TRANSPORT INFORMATION

**TRADE NAME: PROSZEK DO PRANIA EX**

- 14.1. **UN Number:** 3262.  
14.2. **UN proper shipping name:** Corrosive solid, basic, inorganic, N.O.S. (silicates).  
14.3. **Transport hazard class(es):** ADR NR 8  
14.4. **Packing group:** III  
14.5. **Environmental hazards:** No.  
14.6. **Special precautions for user:** For more details see Sections 6 and 8.  
14.7. **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** No data available.

#### WARNING LABELS



#### SECTION 15. REGULATORY INFORMATION

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

- 1) COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 2) REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.
- 3) COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto.
- 4) REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
- 5) COMMISSION REGULATION (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).
- 6) REGULATION (EU) No 259/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 March 2012 amending Regulation (EC) No 648/2004 as regards the use of phosphates and other phosphorus compounds in consumer laundry detergents and consumer automatic dishwasher detergents.
- 7) REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors).
- 8) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

##### 15.2. Chemical safety assessment

###### For mixture:

A Chemical Safety Assessment has not been carried out.

###### For following mixture substances:

- Sodium carbonate:** A Chemical Safety Assessment has been carried out.  
**Sodium percarbonate:** A Chemical Safety Assessment has been carried out.  
**Sodium metasilicate:** Substance registered introductory with transitional period.  
**Sodium silicate** No data available.  
**Anionic surfactants:** Product has substances for which a chemical safety assessment is still needed.

## PROSZEK DO PRANIA EX

### Safety Data Sheet

#### SECTION 16. OTHER INFORMATION

Information above is based on current knowledge of product in its current form.

All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

#### The full list of symbols and H phrases from Section 2 and 3:

<b>Skin Corr. 1B</b>	– Corrosive to skin, category 1B.
<b>Eye Dam. 1</b>	– Serious eye damage, category 1.
<b>STOT SE 3</b>	– Specific target organ toxicity - Single exposure STOT, category 3.
<b>Eye Irrit. 2</b>	– Causes serious eye irritation, category 2.
<b>Met.Corr 1</b>	– Substance/Mixture is corrosive to metals, category 1
<b>Skin Irrit. 2</b>	– Causes skin irritation, category 2.
<b>Acute Tox. 4</b>	– Acute toxicity, category 4.
<b>Ox. Sol. 2</b>	– Oxidizing solid substance, category 2
<b>H272</b>	– May intensify fire; oxidiser.
<b>H290</b>	– May be corrosive to metals.
<b>H302</b>	– Harmful if swallowed.
<b>H314</b>	– Causes severe skin burns and eye damage.
<b>H315</b>	– Causes skin irritation.
<b>H318</b>	– Causes serious eye damage.
<b>H319</b>	– Causes serious eye irritation.
<b>H335</b>	– May cause respiratory irritation.

More information on the product can be found on the specific technical data sheet which is available on [www.tenzi.pl](http://www.tenzi.pl)

#### **Training:**

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

#### **Expiry date:**

36 months from the production date (if product is stored according to the producent recommendations)

#### **Changes compared to the previous version:**

- section 6 and 8 (gloves thickness)

Updated cards versions are now available on [www.tenzi.pl](http://www.tenzi.pl)

This Safety Data Sheet contains 12 pages. Changes in the content by unauthorized people is prohibited.