

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** ULTIMATE POWER 3.5 Z
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Powder for touchless car washes. Designed for washing passenger and delivery cars. Has a pleasant aroma.
- 1.3 Details of the supplier of the safety data sheet:**
- TENZI Sp. z o.o.  
Skarbimierzyce 20  
72-002 Dołuje  
tel. +48 91 3119777  
fax. +48 91 3119779  
E-mail address for a competent person responsible for SDS: [technolog@tenzi.pl](mailto:technolog@tenzi.pl)
- 1.4 Emergency telephone number:**  
+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

#### SECTION 2. HAZARDS IDENTIFICATION

**2.1. Classification of the substance or mixture:**

**Classification according to Regulation (EC) No. 1272/2008:**  
**Eye Irrit. 2 H319** – Causes serious eye irritation.

**2.2. Label elements:**  
(According to 1272/2008/EC\*)

Hazard symbols:



**Signal words:**  
WARNING

**Hazard statements:**  
**H319** – Causes serious eye irritation.

**Precautionary statements:**  
**P305+P351+P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**2.3. Other hazards:**  
Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**3.1. Substances:**

Not applicable.

**3.2. Mixtures:**

**Composition (according to: 648/2004/EC):**

- 5-15% phosphates
- 5-15% phosphonates
- < 5% anionic surfactants
- < 5% non-ionic surfactants
- aroma composition
- auxiliary substances not classified as dangerous

Identification	Hazardous ingredient/classification	Concentration
CAS: 497-19-8 WE: 207-838-8 Index: 011-005-00-2 Registration: 01-2119485498-19-XXXX	<b>Sodium carbonate</b>  Eye Irrit. 2 H319	< 50%
CAS: 3794-83-0 WE: 223-267-7 Index: Not applicable Registration: 01-2119647955-23-XXXX	<b>Tetrasodium (1-hydroxyethylidene) bisphosphonate</b>  Acute Tox. 4 H302, Eye Irrit. 2 H319	< 10%
CAS: 68439-57-6 WE: No data available Index: Not applicable Registration: Introductory	<b>Anionic surfactants</b>  Skin Irrit. 2 H315, Eye Dam. 1 H318	< 3%

The full texts of H symbols and phrases are in section 16.

#### SECTION 4. FIRST AID MEASURES

**4.1. Description of first aid measures:**

**Inhalation:**

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air. Keep him calm and warm. Physical effort may cause pulmonary edema. Get medical attention.

**Skin contact:**

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin changes or burns, get medical attention.

**Eye contact:**

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

**Ingestion:**

Wash your mouth with running water. Drink about 1-2 liters of fresh water and do not induce vomiting. Get medical attention and show them this SDS or product's label.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### 4.2. Most important symptoms and effects, both acute and delayed:

**Inhalation:**

In case of working with this product without proper ventilation system, it may cause irritation of the upper respiratory tract.

**Skin:**

May cause skin irritation.

**Eyes:**

Irritates eyes.

**Ingestion:**

May cause irritation and burning of the mucous membranes.

#### 4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.

Fresh water and eye-wash preparations must be available on the worksite.

### SECTION 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media:

**Suitable extinguishing media:**

Use extinguishing measures that are appropriate to local circumstances and surrounding environment.

**Unsuitable extinguishing media:**

Do not use water jet on substance's surface.

#### 5.2. Special hazards arising from the substance or mixture:

Product is non-flammable.

#### 5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures:

**For non-emergency personnel:**

Protective chemical-proof gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.

**For emergency responders:**

Protective clothes, protective chemical-proof gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses.

#### 6.2. Environmental precautions:

Avoid discharging the product into sewage system or onto the ground.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### 6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone). Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

#### 6.4. Reference to other sections:

See section 8 and 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

Be careful when working with this product.  
Use personal protection recommended in section 8  
Mix only with water. DO NOT mix with any other chemical substances.  
People with skin allergy or respiratory system problems should not have contact with this product.  
Avoid risk – read this instruction sheet carefully before using the product.  
After usage, keep container tightly closed and keep it away from unauthorized people.  
Use only adequate ventilation to avoid inhalation poisoning.

#### 7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor.  
DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

#### 7.3. Specific end use(s):

No data available.

### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### 8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

**NDS/NDSch/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):**

**Sodium carbonate (data for highly concentrated substance):**

**NDS:** 10 mg/m<sup>3</sup>  
**NDSch:** not identified.  
**NDSP:** not identified.

**Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):**

**NDS, NDSch, NDSP:** not identified.

**Anionic surfactants (data for highly concentrated substance):**

**NDS, NDSch, NDSP:** not identified.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

**DNEL /PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):**

**Sodium carbonate (data for highly concentrated substance):**

In contact with body fluids, sodium carbonate dissociates.  
In case of small dose (orally), stomach acid neutralizes the substance.

**Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):**

**DNEL, PNEC:** No data available.

**Anionic surfactants (data for highly concentrated substance):**

**DNEL:**

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: system disorder,	Value: 2158.33 mg/kg
Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: system disorder,	Value: 152.22 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: system disorder,	Value: 1295 mg/kg
Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: system disorder,	Value: 45.04 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: system disorder,	Value: 12.95 mg/kg

**PNEC:**

Aqua (fresh water):	0.024 mg/l
Aqua (marine water):	0.0024 mg/l
Sediment (fresh water):	0.767 mg/kg
Sediment (marine water):	0.0767 mg/kg
Sewage treatment plant:	348 mg/l
Intermittent release:	0.0197 mg/l
Soil:	1.21 mg/kg

**NOTE:** When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

#### 8.2. Exposure controls:

**RESPIRATORY PROTECTION:**

Use in well ventilated areas.

**HAND PROTECTION:**

Protective chemical-proof gloves (0.11 mm thick) when working with concentrated product.

**EYE/FACE PROTECTION:**

Safety glasses when working with concentrated product.

**SKIN PROTECTION:**

Protective clothes.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties:

<b>Appearance:</b>	Powder
<b>Odour:</b>	Characteristic for used aroma composition
<b>Odour threshold:</b>	No data available

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

<b>pH:</b>	12 ± 1 (1% water solution)
<b>Melting point:</b>	No data available
<b>Freezing point:</b>	No data available
<b>Initial boiling point:</b>	No data available
<b>Boiling range:</b>	No data available
<b>Flash point:</b>	No data available
<b>Evaporation rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper flammability limit:</b>	No data available
<b>Lower flammability limit:</b>	No data available
<b>Upper explosive limit:</b>	No data available
<b>Lower explosive limit:</b>	No data available
<b>Vapour pressure:</b>	No data available
<b>Vapour density:</b>	No data available
<b>Relative density:</b>	0.650 ± 0.750 g/cm <sup>3</sup>

**Solubility:**

<b>A) Water:</b>	soluble
<b>B) Organic solvent:</b>	No data available

<b>Partition coefficient N-Octan:</b>	No data available
<b>Partition coefficient Water:</b>	No data available
<b>Auto-ignition temperature:</b>	No data available
<b>Decomposition temperature:</b>	No data available
<b>Viscosity:</b>	No data available
<b>Explosive properties:</b>	No data available
<b>Oxidising properties:</b>	No data available

**9.2. Other information:**

**Refractive index:** No data available Brix\* ± 5%

\* - Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).

### SECTION 10. STABILITY AND REACTIVITY

**10.1 Reactivity:**

No data available.

**10.2 Chemical stability:**

Stable under recommended storage conditions (see section 7).

**10.3 Possibility of hazardous reactions:**

No data available.

**10.4 Conditions to avoid:**

Very high temperature, dampness

**10.5 Incompatible materials:**

Strong acids.

**10.6 Hazardous decomposition products:**

No data available.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### 11.1 Information on toxicological effects:

###### ACUTE TOXICITY:

**Inhalation:** may cause irritation of the upper respiratory tract after exposure without proper ventilation system.  
**Skin:** may cause skin irritation.  
**Eyes:** causes eye irritation.  
**Ingestion:** may cause irritation and burning of the upper respiratory tract.

ATEmix = 15000 (acute toxicity, orally)

###### DETAILS OF PARTICULAR COMPONENTS (according to substances SDS):

###### Sodium carbonate (data for highly concentrated substance):

**LD50:** > 2000 mg/kg (rat, orally)  
**LC50:** 2300 mg/kg (rat, inhalation)  
**LD50:** 2000 mg/kg (rabbit, dermal)  
**NOAEL:** 0.07 mg/l (rat, lungs)

Causes eye irritation (rabbit, OECD 405).  
Doesn't cause skin irritation.

###### Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):

**LD50:** 1500-2000 mg/kg (rat, orally)

Causes eye irritation.

###### Anionic surfactants (data for highly concentrated substance):

Sulfonic acid sodium salt, hydroxyalkane C14-16 and alkane C14-16.

**LC50:** > 52 mg/l/4h (rat, inhalation)  
**LD50:** 6300-13500 mg/kg (rabbit, dermal)  
**LD50:** 2079 mg/kg (rat, orally)

Skin irritation (rabbit) (OECD 404)  
Eye irritation (rabbit) (OECD 404)  
No allergic effect (guinea pig) (OECD 406)

#### SECTION 12. ECOLOGICAL INFORMATION

##### 12.1. Toxicity:

###### Data for the mixture ingredients:

###### Sodium carbonate (data for highly concentrated substance):

**LC50:** 300 mg/l/96h (fish, *Leoponis macrochirus*)  
**EC50:** 200-227 mg/l/48h (crustaceans, *Ceriodaphnia dubia*)

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):

EC50: > 100 mg/l/48h (invertebrates)  
LC50: > 300 mg/l/96h (fish)

#### Anionic surfactants (data for highly concentrated substance):

LC50: 4.2 mg/l/96h (fish) (OECD 203)  
ErC50: 5.2 mg/l/72h (algae) (ISO 10253:2006)  
EC50: 4.53 mg/l/48h (daphnia) (OECD 202)

#### 12.2. Persistence and degradability:

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

#### Data for the mixture ingredients:

##### Sodium carbonate (data for highly concentrated substance):

Inorganic substance.

##### Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):

Biodegradability is over 60%.

CHZT: 900 mg/g  
BZT: 30 mg/g

##### Anionic surfactants (data for highly concentrated substance):

Biodegradability in marine water: 92% in 28 days, OECD 306.

Biodegradability: 80% in 28 days, OECD 301 B.

#### 12.3. Bioaccumulative potential:

##### Sodium carbonate (data for highly concentrated substance):

Does not accumulate in living tissues.

##### Tetrasodium (1-hydroxyethylidene) bisphosphonate (data for highly concentrated substance):

Bioaccumulation not expected.

##### Anionic surfactants (data for highly concentrated substance):

Low bioaccumulative potential.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment:

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII..

#### 12.6. Other adverse effects:

No data available.



## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### SECTION 13. DISPOSAL CONSIDERATIONS

**RESIDUES AND WASTES:**

DO NOT mix with other liquid wastes.

DO NOT empty into sewage system. Product should be totally used up according to its description.

If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

**13.1. Waste treatment methods:**

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

#### SECTION 14. TRANSPORT INFORMATION

**TRADE NAME: ULTIMATE POWER 3.5 Z**

- |   |  |
|---|--|
| <b>14.1. UN Number:</b>   | Not applicable                         |
| <b>14.2. UN proper shipping name:</b>   | Not applicable                         |
| <b>14.3. Transport hazard class(es):</b>  | Not applicable                         |
| <b>14.4. Packing group:</b>   | Not applicable                         |
| <b>14.5. Environmental hazards:</b>   | No.                                    |
| <b>14.6. Special precautions for user:</b>  | For more details see Sections 6 and 8. |
| <b>14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b> | No data available.                     |

**WARNING LABELS**

Not applicable

#### SECTION 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- 1) COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 2) REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.
- 3) COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto.
- 4) REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
- 5) COMMISSION REGULATION (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).
- 6) REGULATION (EU) No 259/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 March 2012 amending Regulation (EC) No 648/2004 as regards the use of phosphates and other phosphorus compounds in consumer laundry detergents and consumer automatic dishwasher detergents.
- 7) REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors).
- 8) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

## ULTIMATE POWER 3.5 Z

### Safety Data Sheet

#### 15.2. Chemical safety assessment

**For mixture:**

A Chemical Safety Assessment has not been carried out.

**For following mixture substances:**

**Sodium carbonate:** A Chemical Safety Assessment has been carried out.

**Tetrasodium (1-hydroxyethylidene) bisphosphonate:** A Chemical Safety Assessment has been carried out.

**Anionic surfactants:** Product has substances for which a chemical safety assessment is still needed.

### SECTION 16. OTHER INFORMATION

Information above is based on current knowledge of product in its current form.

All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

**The full list of symbols and H phrases from Section 2 and 3:**

<b>Acute Tox. 4</b>	– Acute toxicity, category 4.
<b>Eye Dam. 1</b>	– Serious eye damage, category 1.
<b>Eye Irrit. 2</b>	– Causes serious eye irritation, category 2.
<b>Skin Irrit. 2</b>	– Causes skin irritation, category 2.
<b>H302</b>	– Harmful if swallowed.
<b>H315</b>	– Causes skin irritation.
<b>H318</b>	– Causes serious eye damage.
<b>H319</b>	– Causes serious eye irritation.

More information on the product can be found on the specific technical data sheet which is available on [www.tenzi.pl](http://www.tenzi.pl)

**Training:**

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

**Expiry date:**

36 months from the production date (if product is stored according to the producent recommendations)

This Safety Data Sheet contains 10 pages. Changes in the content by unauthorized people is prohibited.