



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date 10th August 2000  
Revision date 17th July 2020 Version 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture WC-SANI  
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
Mixture's intended use The product is intended for cleaning surfaces and acid-resistant materials. Effectively removes limestone, dirt, soap deposits, rust, urine infiltrates. It leaves a pleasant smell.  
  
Mixture uses advised against The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name TENZI Sp. z o.o.  
Address Skarbimierzycze 20, Dołuje, 72-002  
Poland  
VAT Reg No PL8512583405  
Phone +48 91 3119777  
E-mail info@tenzi.pl  
Web address www.tenzi.pl
- Competent person responsible for the safety data sheet**  
Name technolog@tenzi.pl
- 1.4. Emergency telephone number**  
National Health Service (NHS) 111  
National poisoning information centre Scotland, NHS 24: 111 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.

Skin Irrit. 2, H315  
Eye Dam. 1, H318  
Aquatic Acute 1, H400  
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Danger

#### Hazardous substances

phosphoric acid 75 %  
Bis (2-hydroxyethyl) oleylamine

#### Hazard statements

H315 Causes skin irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date 10th August 2000  
Revision date 17th July 2020 Version 2.0

H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P280 Wear protective gloves/eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of container to properly labeled waste containers in accordance with national regulations.

### Supplemental information

<5 % anionic surfactants, <5 % cationic surfactants, perfumes, Linalool

### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 015-011-00-6 CAS: 7664-38-2 EC: 231-633-2 Registration number: 01-2119485924-24-XXXX	phosphoric acid 75 %	<5,6	Skin Corr. 1B, H314 Specific concentration limit: Skin Corr. 1B, H314: C ≥ 25 % Eye Irrit. 2, H319: 10 % ≤ C < 25 % Skin Irrit. 2, H315: 10 % ≤ C < 25 %	1, 2
CAS: 25307-17-9 EC: 246-807-3 Registration number: 01-2119510876-35-0000	Bis (2-hydroxyethyl) oleylamine	<3	Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	
Index: 016-026-00-0 CAS: 5329-14-6 EC: 226-218-8 Registration number: 01-2119488633-28-XXXX	sulfamic acid	<2,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

### Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000		
Revision date	17th July 2020	Version	2.0

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

##### If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Inhaling vapours can cause corrosion of the breathing system.

##### If on skin

Causes skin irritation.

##### If in eyes

Causes serious eye damage.

##### If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high-quality polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Material of package

HDPE (2), High-density (linear) polyethylene (Plastics)



min 5 °C, max 35 °C

Storage temperature

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
phosphoric acid 75 % (CAS: 7664-38-2)	OEL 8 hours	1 mg/m <sup>3</sup>
	OEL 15 minutes	2 mg/m <sup>3</sup>

#### United Kingdom of Great Britain and Northern Ireland

EH40/2005 Workplace exposure limits (Third edition, published 2018)

Substance name (component)	Type	Value
phosphoric acid 75 % (CAS: 7664-38-2)	WEL 8h	1 mg/m <sup>3</sup>
	WEL 15min	2 mg/m <sup>3</sup>

#### DNEL

Bis (2-hydroxyethyl) oleylamine

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	0.25 mg/kg	Systemic chronic effects	
Workers	Inhalation	1.76 mg/m <sup>3</sup>	Systemic chronic effects	
Consumers	Inhalation	0.621 mg/m <sup>3</sup>	Systemic chronic effects	
Consumers	Oral	0.179 mg/m <sup>3</sup>	Systemic chronic effects	



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		

### PNEC

Bis (2-hydroxyethyl) oleylamine

Route of exposure	Value	Determining method
Drinking water	0.000214 mg/l	
Seawater	0.000021 mg/l	
Microorganisms in wastewater treatment plants	1.5 mg/l	
Freshwater sediment	0.171 mg/kg of dry substance	
Soil (agricultural)	5 mg/kg of dry substance	

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

It is not needed.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	gel
Physical state	liquid at 20°C
color	pink
Odour	characteristic of the composition used for
Odour threshold	data not available
pH	1 (undiluted at 20°C)
Melting point/freezing point	data not available
Initial boiling point and boiling range	data not available
Flash point	data not available
Evaporation rate	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available
Vapour pressure	data not available
Vapour density	data not available
Relative density	1.060 g/cm <sup>3</sup> (+-) 0.020
Solubility(ies)	
solubility in water	soluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	60
flow time	sek.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		
Explosive properties		data not available	
Oxidising properties		data not available	
<b>9.2. Other information</b>			
Density		data not available	
ignition temperature		data not available	

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

Bis (2-hydroxyethyl) oleylamine

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Source
Oral	LD <sub>50</sub>	OECD 401	>300-2000 mg/kg		Rat (Rattus norvegicus)		karta charakterystyki

#### Irritation

Bis (2-hydroxyethyl) oleylamine

Route of exposure	Result	Method	Time of exposure	Species	Source
	Corrosive	OECD 404		Rabbit	karta charakterystyki

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date 10th August 2000  
Revision date 17th July 2020 Version 2.0

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Very toxic to aquatic life with long lasting effects.

Bis (2-hydroxyethyl) oleylamine

Parameter	Value	Time of exposure	Species	Environment	Source
LC <sub>50</sub>	>0.1-1 mg/l	96 hour	Fishes		karta charakterystyki
EC <sub>50</sub>	>0.1-1 mg/l	48 hour	Daphnia (Daphnia magna)		karta charakterystyki
EC <sub>50</sub>	>0.01-0.1 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)		karta charakterystyki

### 12.2. Persistence and degradability

#### Biodegradability

Bis (2-hydroxyethyl) oleylamine

Parameter	Method	Value	Time of exposure	Environment	Result	Source
	OECD 301D	>60 %			Easily biodegradable	karta charakterystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

### 12.3. Bioaccumulative potential

Data not available.

### 12.4. Mobility in soil

Data not available.

### 12.5. Results of PBT and vPvB assessment



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors \*

#### Packaging waste type code

15 01 02 plastic packaging

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number

Not subject to ADR

### 14.2. UN proper shipping name

not available

### 14.3. Transport hazard class(es)

not available

### 14.4. Packing group

not available

### 14.5. Environmental hazards

No

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.





# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		

### 15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For the following substances, mixtures:

Phosphoric acid: the manufacturer has performed a chemical safety assessment

Sulfamic acid - the manufacturer has made a chemical safety assessment

Bis (2-hydroxyethyl) oleylamine: the manufacturer has performed a chemical safety assessment

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of container to properly labeled waste containers in accordance with national regulations.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## WC-SANI

Creation date	10th August 2000	Version	2.0
Revision date	17th July 2020		

NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.