

according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier BOBEREX
Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Dishwashing liquid.

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name TENZI Sp. z o.o.

Address Skarbimierzyce 20, Dołuje, 72-002

Poland

 VAT Reg No
 PL8512583405

 Phone
 +48 91 3119777

 E-mail
 info@tenzi.pl

 Web address
 www.tenzi.pl

Competent person responsible for the safety data sheet

Name technolog@tenzi.pl E-mail technolog@tenzi.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye damage.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

Sodium Lauryl Ether Sulfate

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000

Revision date 25th March 2022 Version 2.0

P501 Dispose of container to properly labeled waste containers in accordance with national regulations.

Supplemental information

EUH208 Contains limonene. May produce an allergic reaction.

<5 % anionic surfactants, <5 % amphoteric surfactants, <5 % non-ionic surfactants, perfumes, Limonene

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

		Content in	Classification according to	
Identification numbers	Substance name	% weight	Regulation (EC) No 1272/2008	Note
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16- XXXX	Sodium Lauryl Ether Sulfate	<2,25	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Irrit. 2, H319: $5\% \le C < 10\%$ Eye Dam. 1, H318: $C \ge 10\%$	
EC: 931-513-6 Registration number: 01-2119513359-38- XXXX	1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts	<2	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: $C > 10 \%$ Eye Irrit. 2, H319: $4 \% < C \le 10 \%$	
CAS: 85536-14-7 EC: 287-494-3 Registration number: 01-2119490234-40- XXXX	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	<2	Acute Tox. 4, H302 Skin Corr. 1C, H314 Aquatic Chronic 3, H412	
CAS: 69011-36-5 Registration number: polimer	Alcohols, C13, branched, ethoxylated	<0,5	Acute Tox. 4, H302 Eye Dam. 1, H318	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27- XXXX	sodium hydroxide	<0,3	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: $C \ge 5$ % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 % Skin Irrit. 2, H315: 0,5 % ≤ C < 2 %	
Index: 601-029-00-7 CAS: 138-86-3 EC: 205-341-0	limonene	<0,17	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	1

Notes

1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000

Revision date 25th March 2022 Version 2.0

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Not expected.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Continue rinsing. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Causes serious eye damage.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

Revision date 25th March 2022 Version 2.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNFI

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	170 mg/kg	Local chronic effects		karta charakterystyki
Workers	Inhalation	12 mg/m³	Local chronic effects		karta charakterystyki
Workers	Inhalation	12 mg/m ³	Local acute effects		karta charakterystyki
Consumers	Dermal	85 mg/kg	Local chronic effects		karta charakterystyki
Consumers	Inhalation	3 mg/m ³	Local chronic effects		karta charakterystyki
Consumers	Oral	0.85 mg/kg	Local chronic effects		karta charakterystyki
	Inhalation	3 mg/m ³	Local acute effects		karta charakterystyki

Sodium Lauryl Ether Sulfate

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	2750 mg/kg	Local chronic effects		karta charakterystyki
Workers	Inhalation	175 mg/kg	Local chronic effects		karta charakterystyki
Consumers		1650 mg/kg	Local chronic effects		karta charakterystyki
Consumers	Inhalation	52 mg/m ³	Local chronic effects		karta charakterystyki
Consumers	Food chain	15 mg/m ³	Local chronic effects		karta charakterystyki

PNEC

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Route of exposure	Value	Determining method
Drinking water	0.287 mg/l	
Seawater	0.0287 mg/l	
Water (intermittent release)	0.0167 mg/l	
Freshwater sediment	0.287 mg/kg	



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

Version

2.0

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Route of exposure	Value	Determining method
Sea sediments	0.287 mg/kg	
Soil (agricultural)	35 mg/kg	
Microorganisms in wastewater treatment plants	3.43 mg/l	

Sodium Lauryl Ether Sulfate

Route of exposure	Value	Determining method
Drinking water	0.24 mg/l	
Seawater	0.024 mg/l	
Freshwater sediment	5.45 mg/kg	
Sea sediments	0.545 mg/kg	
Microorganisms in wastewater treatment plants	10 mg/l	
Soil (agricultural)	0.946 mg/kg	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work.

Eye/face protection

It is not needed.

Skin protection

It is not needed.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour pink

Odour characteristic of the composition used for

Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available data not available Flammability data not available Lower and upper explosion limit Flash point data not available Auto-ignition temperature data not available data not available Decomposition temperature 6 (undiluted at 20 °C) data not available Kinematic viscosity

Solubility in water soluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density data not available Relative density 1,030 g/cm3 (+-) 0,020

Form Liquid with increased viscosity level

9.2. Other information

Dermatological tests: does not show irritating and sensitizing properties



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000
Revision date 25th March 2022

Revision date 25th March 2022 Version 2.0

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Skin	LD50		>620 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakt erystyki
Oral	LD50		2430 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakt erystyki

Alcohols, C13, branched, ethoxylated

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50		>500 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50		1470 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Skin	LD50		2000 mg/kg		Rat			karta charakt erystyki

Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000

Revision date 25th March 2022 Version 2.0

Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Skin	LD50		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Oral (drinking water)	NOAEL	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M		karta charakt erystyki
Oral (drinking water)	NOAEL (F1)	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M	Reproduction	karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)			karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)	F		karta charakt erystyki
Oral	NOAEL	OECD 408	>225 mg/kg	90 day	Rat (Rattus norvegicus)			karta charakt erystyki

Skin corrosion/irritation

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Not irritating			Based on evidence	karta charakterys tyki

Serious eye damage/irritation

Causes serious eye damage.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Serious eye damage			Based on evidence	karta charakterys tyki

Alcohols, C13, branched, ethoxylated

Route of exposure	Result	Time of exposure	Species	Determining method	Source
Eye	Serious eye damage				karta charakterys tyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000

Revision date 25th March 2022 Version 2.0

Sensitization

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Method	Time of exposure	Species	Sex	Determining method	Source
Skin	No effect	OECD 406		Guinea-pig (Cavia aperea f. porcellus)		Based on evidence	karta charakter ystyki

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Mutagenicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determinin g method	Source
Negative	OECD 471					Based on evidence	karta charakt erystyki
Negative	OECD 476		V			Based on evidence	karta charakt erystyki
Negative	OECD 474					Based on evidence	karta charakt erystyki

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000

Revision date 25th March 2022 Version 2.0

Acute toxicity

Data for the mixture are not available.

 $1\hbox{-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts}$

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC50	OECD 202	1.9 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
ErC50		2.4 mg/kg	72 hour	Algae and other aquatic plants		Indicator of growth	karta charakte rystyki
ErC50		7 mg/l	72 hour	Daphnia (Daphnia magna)		Indicator of growth	karta charakte rystyki
LC50	OECD 203	1.11 mg/l	96 hour	Fishes (Oncorhynchus mykiss)			karta charakte rystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC50		>1-10 mg/l	96 hour	Fishes		R	karta charakte rystyki
EC50	OECD 202	>1-10 mg/l	48 hour	Crustaceans (Daphnia magna)			karta charakte rystyki
NOEC		>4 mg/l	28 day	Algae and other aquatic plants			karta charakte rystyki
LC50		>1000 mg/kg		Invertebrates			karta charakte rystyki
EC50	OECD 208	167 mg/kg	21 day	Higher plants			karta charakte rystyki
EC50	OECD 208	289 mg/kg	21 day	Higher plants			karta charakte rystyki
EC50	OECD 208	316 mg/kg	21 day	Higher plants			karta charakte rystyki

Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LD ₅₀	OECD 203	>1-10 mg/l	96 hour	Fishes (Branchydanio rerio)			karta charakte rystyki
NOEC		1.2 mg/l		Fishes (Branchydanio rerio)			karta charakte rystyki
EC50	OECD 202	>1-10 mg/l	48 hour	Other aquatic organisms (Daphnia magna)			karta charakte rystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

Version

2.0

Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
NOEC	OECD 211	>0.1-1.0 mg/l	21 day	Daphnia (Daphnia magna)			karta charakte rystyki
EC50	OECD 201	>10-100 mg/l	72 hour	Algae (Desmodesmus subspicatus)			karta charakte rystyki
EC10		10000 mg/l		Bacteria (Pseudomonas putida)			karta charakte rystyki

Chronic toxicity

 $1\hbox{-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts$

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC50		3000 mg/l	16 hour	Bacteria (Salmonella typhimurium)		Based on evidence	karta charakte rystyki
NOEC	OECD 211	0.3 mg/l	21 day	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
NOEC	OECD 210	0.135 mg/l	100 day	Fishes (Oncorhynchus mykiss)		Based on evidence	karta charakte rystyki
NOECr		0.6 mg/l	72 hour	Algae and other aquatic plants		Based on evidence	karta charakte rystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
NOEC		>1-10 mg/l	32 day	Crustaceans			karta charakte rystyki
NOEC		1 mg/l	28 day	Fishes			karta charakte rystyki

12.2. Persistence and degradability

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
		95 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki
		80-90 %	60 day		Based on evidence	Easily biodegradable	karta charakte rystyki
	OECD 306	75 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

25th March 2022 Version 2.0

Alcohols, C13, branched, ethoxylated

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
	OECD 301D	79.3 %	28 day			Easily biodegradable	

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

Nο

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture.

Sodium Lauryl Ether Sulfate: the manufacturer has performed a chemical safety assessment

Flammable liquid and vapour.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs: the manufacturer has performed a chemical safety assessment 1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18) acyl derivatives, hydroxides, inner salts, water solution: A Chemical Safety Assessment has been carried out.

Alcohols, C13, branched, ethoxylated: not applicable

Sodium hydroxide: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

H226

H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eve damage	

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of container to properly labeled waste containers in accordance with

national regulations.

A list of additional standard phrases used in the safety data sheet

EUH208 Contains limonene. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement		:	:		
ADR	Furonean agreement	concerning the	international	carriade oi da	anderous doods	: DV

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CE₅₀ Concentration of a substance when it is affected 50% of the population CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan

EuPCS European Product Categorisation System IATA International Air Transport Association



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

С	reation date	10th August 2000		
R	evision date	25th March 2022	Version	2.0

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient LZO Volatile organic compounds

MARPOL International Convention for the Prevention of Pollution from Ships

NOAEL
NO observed adverse effect level
NOEC
No observed effect concentration
OEL
Occupational Exposure Limits
PBT
Persistent, Bioaccumulative and Toxic
PNEC
Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UE European Union

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

vPvB Very Persistent and very Bioaccumulative

WE Identification code for each substance listed in EINECS

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam.

Eye Irrit.

Flam. Liq.

Met. Corr.

Skin Corr.

Skin Irrit.

Skin Sens.

Serious eye damage

Eye irritation

Flammable liquid

Corrosive to metals

Skin corrosion

Skin irritation

Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Classification procedure - based on the results of dermatological tests.

Statement



according to Regulation (EC) No 1907/2006 (REACH) as amended

BOBEREX

Creation date 10th August 2000 Revision date 25th March 2022

Version 2.0

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.