



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** CAR FOAM  
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Active car washing foam.  
**Mixture uses advised against**  
not available
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name TENZI Sp. z o.o.  
Address Skarbimierzyce 20, Dołuje, 72-002  
Poland  
VAT Reg No PL8512583405  
Phone +48 91 3119777  
E-mail info@tenzi.pl  
Web address www.tenzi.pl  
**Competent person responsible for the safety data sheet**  
Name technolog@tenzi.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.  
Skin Corr. 1, H314  
Eye Dam. 1, H318  
Full text of all classifications and hazard statements is given in the section 16.  
**Most serious adverse effects on human health and the environment**  
Causes serious eye damage. Causes severe skin burns and eye damage.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Danger

#### Hazardous substances

D-glucopyranose, C8-10 alkyl glycosides oligomers  
tetrasodium ethylene diamine tetraacetate  
potassium hydroxide

#### Hazard statements

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear eye protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date	22nd April 2021	Version	1.0
Revision date			

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P405	Store locked up.
P501	Dispose of contents/container to properly labeled waste containers in accordance with national regulations.

### Supplemental information

5-<15 % non-ionic surfactants, 5-<15 % EDTA and salts thereof, <5 % anionic surfactants, <5 % amphoteric surfactants

### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36	D-glucopyranose, C8-10 alkyl glycosides oligomers	<12	Eye Dam. 1, H318	
Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9 Registration number: 01-2119486762-27-XXXX	tetrasodium ethylene diamine tetraacetate	<6	Acute Tox. 4, H302+H332 Eye Dam. 1, H318 STOT RE 2, H373 (respiratory tract) (inhalation)	
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33-XXXX	potassium hydroxide	<3	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 %	
CAS: 160901-09-7 Registration number: polimer	Alcohols, C9-11, branched and linear, 5-20TE ethoxylated	<2,5	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16-XXXX	Sodium Lauryl Ether Sulfate	<2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C ≥ 10 % Eye Irrit. 2, H319: 5 % ≤ C < 10 %	



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date	22nd April 2021	Version	1.0	
Revision date				
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol	<1	Eye Irrit. 2, H319	1, 2

### Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

##### If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes. Provide medical treatment if skin irritation persists.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

##### If swallowed

DO NOT INDUCE VOMITING! Even the induced vomiting can cause complications as in case of detergents and other foaming substances.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Inhaling vapours can cause corrosion of the breathing system.

##### If on skin

Causes severe skin burns.

##### If in eyes

Causes serious eye damage.

##### If swallowed

Corrosion of the digestion system can occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Content	Packaging type	Material of package
20 l	jerry can	HDPE
5 l	jerry can	HDPE
10 l	jerry can	HDPE
200 l	barrel / drum	HDPE
1000 l	IBC (intermediate bulk container)	HDPE

Storage temperature min 5 °C, max 35 °C

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### European Union

### Commission Directive 2006/15/EC

Substance name (component)	Type	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m <sup>3</sup>
	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m <sup>3</sup>
	OEL 15 minutes	15 ppm

### DNEL

#### Sodium Lauryl Ether Sulfate

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	2750 mg/kg	Local chronic effects	
Workers	Inhalation	175 mg/kg	Local chronic effects	
Consumers		1650 mg/kg	Local chronic effects	
Consumers	Inhalation	52 mg/m <sup>3</sup>	Local chronic effects	
Consumers	Food chain	15 mg/m <sup>3</sup>	Local chronic effects	

#### tetrasodium ethylene diamine tetraacetate

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	1.5 mg/m <sup>3</sup>	Local chronic effects	

### PNEC

#### Sodium Lauryl Ether Sulfate

Route of exposure	Value	Determining method
Drinking water	0.24 mg/l	
Seawater	0.024 mg/l	
Freshwater sediment	5.45 mg/kg	
Sea sediments	0.545 mg/kg	
Microorganisms in wastewater treatment plants	10 mg/l	
Soil (agricultural)	0.946 mg/kg	

#### tetrasodium ethylene diamine tetraacetate

Route of exposure	Value	Determining method
Drinking water	2.86 mg/l	
Seawater	0.286 mg/l	
Water (intermittent release)	1.56 mg/l	
Soil (agricultural)	0.937 mg/kg	
Microorganisms in wastewater treatment plants	55.94 mg/l	

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### Respiratory protection

Under regular circumstances it is not necessary.

### Thermal hazard

Data not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Color	brown
Odour	Characteristic for the materials used
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	14 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,080 - 1,120 g/cm <sup>3</sup>
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date

22nd April 2021

Revision date

Version

1.0

### Acute toxicity

ATE mix = 7575 mg/kg - oral. ATE mix = 16,7 mg/l - inhalation.

Based on available data the classification criteria are not met.

Alcohols, C9-11, branched and linear, 5-20TE ethoxylated

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD <sub>50</sub>		>1200 mg/kg		Rat			karta charakt erystyki

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD <sub>50</sub>		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki

potassium hydroxide

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD <sub>50</sub>		273 mg/kg		Rat			

Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD <sub>50</sub>		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Skin	LD <sub>50</sub>		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Oral (drinking water)	NOAEL	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M		karta charakt erystyki
Oral (drinking water)	NOAEL (F1)	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M	Reproduction	karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)			karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)	F		karta charakt erystyki
Oral	NOAEL	OECD 408	>225 mg/kg	90 day	Rat (Rattus norvegicus)			karta charakt erystyki

tetrasodium ethylene diamine tetraacetate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD <sub>50</sub>	OECD 401	1780 mg/kg		Rat (Rattus norvegicus)			SDS
Inhalation	LC <sub>50</sub>	OECD 412	>1-5 mg/l	4 hour	Rat (Rattus norvegicus)		Analogous approach	SDS



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### Skin corrosion/irritation

Causes severe skin burns.

D-glucofuranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Slightly irritating			karta charakterystyki

### Serious eye damage/irritation

Causes serious eye damage.

Alcohols, C9-11, branched and linear, 5-20TE ethoxylated

Route of exposure	Result	Time of exposure	Species	Source
	Serious eye damage		Rabbit	karta charakterystyki

D-glucofuranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Serious eye damage			karta charakterystyki

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity





# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date

22nd April 2021

Revision date

Version

1.0

### Acute toxicity

Data for the mixture are not available.

Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environment	Source
LD <sub>50</sub>	OECD 203	>1-10 mg/l	96 hour	Fishes (Branchydanio rerio)		karta charakterystyki
NOEC		1.2 mg/l		Fishes (Branchydanio rerio)		karta charakterystyki
EC <sub>50</sub>	OECD 202	>1-10 mg/l	48 hour	Other aquatic organisms (Daphnia magna)		karta charakterystyki
NOEC	OECD 211	>0.1-1.0 mg/l	21 day	Daphnia (Daphnia magna)		karta charakterystyki
EC <sub>50</sub>	OECD 201	>10-100 mg/l	72 hour	Algae (Desmodesmus subspicatus)		karta charakterystyki
EC10		10000 mg/l		Bacteria (Pseudomonas putida)		karta charakterystyki

tetrasodium ethylene diamine tetraacetate

Parameter	Method	Value	Time of exposure	Species	Environment	Source
LC <sub>50</sub>		>100 mg/l	96 hour	Fishes		SDS
EC <sub>50</sub>		140 mg/l	48 hour	Daphnia (Daphnia magna)		SDS
EC <sub>50</sub>		>100 mg/l	72 hour	Algae		SDS

### Chronic toxicity

tetrasodium ethylene diamine tetraacetate

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
NOEC	OECD 210	>25.7 mg/l	35 day	Fishes		Analogous approach	SDS
NOEC		>25 mg/l	21 day	Daphnia (Daphnia magna)			SDS

## 12.2. Persistence and degradability

### Biodegradability

Alcohols, C9-11, branched and linear, 5-20TE ethoxylated

Parameter	Method	Value	Time of exposure	Environment	Result	Source
	OECD 301F	76 %	28 day		Easily biodegradable	karta charakterystyki



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

D-glucopyranose, C8-10 alkyl glycosides oligomers

Parameter	Method	Value	Time of exposure	Environment	Result	Source
					Biodegradable	karta charaktery styki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended. The mixture is biodegradable.

### 12.3. Bioaccumulative potential

Data not available.

### 12.4. Mobility in soil

Data not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

not available

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors \*

#### Packaging waste type code

15 01 02 plastic packaging

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1719

### 14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide)

### 14.3. Transport hazard class(es)

8 Corrosive substances

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

No

### 14.6. Special precautions for user

not available

### 14.7. Maritime transport in bulk according to IMO instruments

not available



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date 22nd April 2021  
Revision date Version 1.0

### Additional information

Hazard identification No.

UN number

Safety signs



8



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p>

### 15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture. D-glucopyranose, C8-10 alkyl glycosides oligomers: the manufacturer has performed a chemical safety assessment Alcohols, C9-11, branched and linear, 5-20TE ethoxylated: not applicable 2-(2-butoxyethoxy)ethanol: A Chemical Safety Assessment has been carried out potassium hydroxide: A Chemical Safety Assessment has been carried out. Sodium Lauryl Ether Sulfate: the manufacturer has performed a chemical safety assessment Tetrasodium ethylene diamine tetraacetate: the manufacturer has performed a chemical safety assessment

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date	22nd April 2021	Version	1.0
Revision date			

H373 May cause damage to the respiratory tract through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled.

### Guidelines for safe handling used in the safety data sheet

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P501 Dispose of contents/container to properly labeled waste containers in accordance with national regulations.

P405 Store locked up.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC<sub>50</sub> Concentration of a substance when it is affected 50% of the population

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan

EU European Union

EuPCS European Product Categorisation System

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals

IC<sub>50</sub> Concentration causing 50% blockade

ICAO International Civil Aviation Organization

IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients

ISO International Organization for Standardization

IUPAC International Union of Pure and Applied Chemistry

LC<sub>50</sub> Lethal concentration of a substance in which it can be expected death of 50% of the population

LD<sub>50</sub> Lethal dose of a substance in which it can be expected death of 50% of the population

LOAEC Lowest observed adverse effect concentration

LOAEL Lowest observed adverse effect level

log K<sub>ow</sub> Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level

NOEC No observed effect concentration

NOEL No observed effect level

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## CAR FOAM

Creation date	22nd April 2021	Version	1.0
Revision date			

UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.