



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of container to properly labeled waste containers in accordance with national regulations.

Supplemental information

EUH208 Contains alpha-Pinene (cf. Terpenes). May produce an allergic reaction.
5-<15 % anionic surfactants, <5 % amphoteric surfactants, perfumes, Glutaral, Limonene

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16-XXXX	Sodium Lauryl Ether Sulfate	<3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Irrit. 2, H319: 5 % ≤ C < 10 % Eye Dam. 1, H318: C ≥ 10 %	
CAS: 85536-14-7 EC: 287-494-3 Registration number: 01-2119490234-40-XXXX	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs	<2	Acute Tox. 4, H302 Skin Corr. 1C, H314 Aquatic Chronic 3, H412	
EC: 931-513-6 Registration number: 01-2119513359-38-XXXX	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts	<1,5	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 4 % < C ≤ 10 %	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27-XXXX	sodium hydroxide	<1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 % Skin Irrit. 2, H315: 0,5 % ≤ C < 2 %	
CAS: 80-56-8 EC: 201-291-9	alpha-Pinene (cf. Terpenes)	<0,24	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317	



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0	
Revision date	25th March 2022			
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 605-022-00-X CAS: 111-30-8 EC: 203-856-5 Registration number: 01-2119455549-26	glutaral	<0,1	Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 EUH071 Specific concentration limit: STOT SE 3, H335: 0,5 % ≤ C < 5 %	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances. Rinse out the mouth with water and provide 2-5 dL of water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	170 mg/kg	Local chronic effects		karta charakterystyki
Workers	Inhalation	12 mg/m ³	Local chronic effects		karta charakterystyki
Workers	Inhalation	12 mg/m ³	Local acute effects		karta charakterystyki
Consumers	Dermal	85 mg/kg	Local chronic effects		karta charakterystyki
Consumers	Inhalation	3 mg/m ³	Local chronic effects		karta charakterystyki
Consumers	Oral	0.85 mg/kg	Local chronic effects		karta charakterystyki
	Inhalation	3 mg/m ³	Local acute effects		karta charakterystyki

Sodium Lauryl Ether Sulfate

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	2750 mg/kg	Local chronic effects		karta charakterystyki
Workers	Inhalation	175 mg/kg	Local chronic effects		karta charakterystyki
Consumers		1650 mg/kg	Local chronic effects		karta charakterystyki
Consumers	Inhalation	52 mg/m ³	Local chronic effects		karta charakterystyki
Consumers	Food chain	15 mg/m ³	Local chronic effects		karta charakterystyki

PNEC

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Route of exposure	Value	Determining method
Drinking water	0.287 mg/l	
Seawater	0.0287 mg/l	
Water (intermittent release)	0.0167 mg/l	
Freshwater sediment	0.287 mg/kg	
Sea sediments	0.287 mg/kg	
Soil (agricultural)	35 mg/kg	
Microorganisms in wastewater treatment plants	3.43 mg/l	

Sodium Lauryl Ether Sulfate

Route of exposure	Value	Determining method
Drinking water	0.24 mg/l	
Seawater	0.024 mg/l	
Freshwater sediment	5.45 mg/kg	
Sea sediments	0.545 mg/kg	
Microorganisms in wastewater treatment plants	10 mg/l	
Soil (agricultural)	0.946 mg/kg	



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	green
Odour	characteristic of the composition used for
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	14 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	data not available
Relative density	1,047 g/cm ³ (+-) 0,020
Form	Liquid with increased viscosity level

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Skin	LD ₅₀		>620 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakt erystyki
Oral	LD ₅₀		2430 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakt erystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD ₅₀		1470 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Skin	LD ₅₀		2000 mg/kg		Rat			karta charakt erystyki

glutaral

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD ₅₀	OECD 401	154 mg/kg		Rat			
Inhalation	LD ₅₀	OECD 403	0.28-0.39 mg/l	4 hour	Rat			
Dermal	LD ₅₀	OECD 402	>2000 mg/kg		Rabbit			

Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD ₅₀		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Skin	LD ₅₀		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Oral (drinking water)	NOAEL	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M		karta charakt erystyki
Oral (drinking water)	NOAEL (F1)	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M	Reproduction	karta charakt erystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)			karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)	F		karta charakt erystyki
Oral	NOAEL	OECD 408	>225 mg/kg	90 day	Rat (Rattus norvegicus)			karta charakt erystyki

Skin corrosion/irritation

Causes skin irritation.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Not irritating			Based on evidence	karta charakterystyki

Serious eye damage/irritation

Causes serious eye damage.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Serious eye damage			Based on evidence	karta charakterystyki

Sensitization

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Method	Time of exposure	Species	Sex	Determining method	Source
Skin	No effect	OECD 406		Guinea-pig (Cavia aperea f. porcellus)		Based on evidence	karta charakterystyki

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Mutagenicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determining method	Source
Negative	OECD 471					Based on evidence	karta charakt erystyki
Negative	OECD 476					Based on evidence	karta charakt erystyki
Negative	OECD 474					Based on evidence	karta charakt erystyki

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC ₅₀	OECD 202	1.9 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
ErC ₅₀		2.4 mg/kg	72 hour	Algae and other aquatic plants		Indicator of growth	karta charakte rystyki
ErC ₅₀		7 mg/l	72 hour	Daphnia (Daphnia magna)		Indicator of growth	karta charakte rystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LC ₅₀	OECD 203	1.11 mg/l	96 hour	Fishes (Oncorhynchus mykiss)			karta charakterystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LC ₅₀		>1-10 mg/l	96 hour	Fishes			karta charakterystyki
EC ₅₀	OECD 202	>1-10 mg/l	48 hour	Crustaceans (Daphnia magna)			karta charakterystyki
NOEC		>4 mg/l	28 day	Algae and other aquatic plants			karta charakterystyki
LC ₅₀		>1000 mg/kg		Invertebrates			karta charakterystyki
EC ₅₀	OECD 208	167 mg/kg	21 day	Higher plants			karta charakterystyki
EC ₅₀	OECD 208	289 mg/kg	21 day	Higher plants			karta charakterystyki
EC ₅₀	OECD 208	316 mg/kg	21 day	Higher plants			karta charakterystyki

Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LD ₅₀	OECD 203	>1-10 mg/l	96 hour	Fishes (Branchydanio rerio)			karta charakterystyki
NOEC		1.2 mg/l		Fishes (Branchydanio rerio)			karta charakterystyki
EC ₅₀	OECD 202	>1-10 mg/l	48 hour	Other aquatic organisms (Daphnia magna)			karta charakterystyki
NOEC	OECD 211	>0.1-1.0 mg/l	21 day	Daphnia (Daphnia magna)			karta charakterystyki
EC ₅₀	OECD 201	>10-100 mg/l	72 hour	Algae (Desmodesmus subspicatus)			karta charakterystyki
EC10		10000 mg/l		Bacteria (Pseudomonas putida)			karta charakterystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Chronic toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC ₅₀		3000 mg/l	16 hour	Bacteria (Salmonella typhimurium)		Based on evidence	karta charakterystyki
NOEC	OECD 211	0.3 mg/l	21 day	Daphnia (Daphnia magna)		Based on evidence	karta charakterystyki
NOEC	OECD 210	0.135 mg/l	100 day	Fishes (Oncorhynchus mykiss)		Based on evidence	karta charakterystyki
NOEC _r		0.6 mg/l	72 hour	Algae and other aquatic plants		Based on evidence	karta charakterystyki

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
NOEC		>1-10 mg/l	32 day	Crustaceans			karta charakterystyki
NOEC		1 mg/l	28 day	Fishes			karta charakterystyki

12.2. Persistence and degradability

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Environment	Determining method	Result	Source
		95 %	28 day		Based on evidence	Easily biodegradable	karta charakterystyki
		80-90 %	60 day		Based on evidence	Easily biodegradable	karta charakterystyki
	OECD 306	75 %	28 day		Based on evidence	Easily biodegradable	karta charakterystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000		
Revision date	25th March 2022	Version	2.0

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture.
Sodium Lauryl Ether Sulfate: the manufacturer has performed a chemical safety assessment
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs: the manufacturer has performed a chemical safety assessment
1-Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18) acyl derivatives, hydroxides, inner salts, water solution: A Chemical Safety Assessment has been carried out
Sodium hydroxide: the manufacturer has performed a chemical safety assessment
Glutaral: the manufacturer has performed a chemical safety assessment
Alpha-pinene: no data available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of container to properly labeled waste containers in accordance with national regulations.
P280	Wear protective gloves/eye protection.

A list of additional standard phrases used in the safety data sheet

EUH208	Contains alpha-Pinene (cf. Terpenes). May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE ₅₀	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Met. Corr.	Corrosive to metals
Resp. Sens.	Respiratory sensitization
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN REX

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

