



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** GRAN SMOG
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Product designed for washing smoking chambers, grills etc.
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name TENZI Sp. z o.o.
Address Skarbimierzyce 20, Dołuje, 72-002
Poland
VAT Reg No PL8512583405
Phone +48 91 3119777
E-mail info@tenzi.pl
Web address www.tenzi.pl
- Competent person responsible for the safety data sheet**
Name technolog@tenzi.pl
E-mail technolog@tenzi.pl
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Acute Tox. 4, H302
Skin Corr. 1A, H314
Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if swallowed.

- 2.2. Label elements**

Hazard pictogram



Signal word

Danger

Hazardous substances

potassium hydroxide

Hazard statements

H302

Harmful if swallowed.

H314

Causes severe skin burns and eye damage.

Precautionary statements

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.

Supplemental information

<5 % non-ionic surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|---|---------------------|---|------|
| Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33-XXXX | potassium hydroxide | <17 | Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 % | |
| Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX | 2-(2-butoxyethoxy)ethanol | <5 | Eye Irrit. 2, H319 | 1, 2 |
| CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36 | D-glucopyranose, C8-10 alkyl glycosides oligomers | <4 | Eye Dam. 1, H318 | |

Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th August 2000 | Version | 2.0 |
| Revision date | 17th February 2022 | | |

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the induced vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th August 2000 | Version | 2.0 |
| Revision date | 17th February 2022 | | |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition. Store locked up.

Storage temperature +5 ÷ 35° °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

| Substance name (component) | Type | Value |
|---|----------------|-------------------------|
| 2-(2-butoxyethoxy)ethanol (CAS: 112-34-5) | OEL 8 hours | 67,5 mg/m ³ |
| | OEL 8 hours | 10 ppm |
| | OEL 15 minutes | 101,2 mg/m ³ |
| | OEL 15 minutes | 15 ppm |

DNEL

2-(2-butoxyethoxy)ethanol

| Workers / consumers | Route of exposure | Value | Effect | Determining method | Source |
|---------------------|-------------------|------------|--------------------------|--------------------|--------|
| Workers | Dermal | 20 mg/kg | Systemic chronic effects | | SDS |
| Workers | Inhalation | 67.5 mg/l | Systemic chronic effects | | SDS |
| Workers | Inhalation | 67.5 mg/l | Local chronic effects | | SDS |
| Consumers | Inhalation | 50.6 mg/l | Local acute effects | | SDS |
| Consumers | Dermal | 10 mg/kg | Systemic chronic effects | | SDS |
| Consumers | Inhalation | 3 mg/l | Systemic chronic effects | | SDS |
| Consumers | Oral | 1.25 mg/kg | Systemic chronic effects | | SDS |
| Consumers | Inhalation | 34 mg/l | Local chronic effects | | SDS |

D-glucopyranose, C8-10 alkyl glycosides oligomers

| Workers / consumers | Route of exposure | Value | Effect | Determining method | Source |
|---------------------|-------------------|-----------------------|--------------------------|--------------------|--------|
| Workers | Dermal | 595000 mg/kg | Systemic chronic effects | | SDS |
| Workers | Inhalation | 420 mg/m ³ | Systemic chronic effects | | SDS |
| Consumers | Dermal | 357000 mg/kg | Systemic chronic effects | | SDS |
| Consumers | Oral | 35.7 mg/kg | Systemic chronic effects | | SDS |
| Consumers | Inhalation | 124 mg/m ³ | Systemic chronic effects | | SDS |

PNEC

2-(2-butoxyethoxy)ethanol

| Route of exposure | Value | Determining method |
|-------------------|--------|--------------------|
| Drinking water | 1 mg/l | |



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

2-(2-butoxyethoxy)ethanol

| Route of exposure | Value | Determining method |
|---|-----------|--------------------|
| Seawater | 0.1 mg/l | |
| Freshwater sediment | 4 mg/kg | |
| Sea sediments | 0.4 mg/kg | |
| Soil (agricultural) | 0.4 mg/kg | |
| Microorganisms in wastewater treatment plants | 200 mg/l | |
| Oral | 56 mg/kg | |

D-glucopyranose, C8-10 alkyl glycosides oligomers

| Route of exposure | Value | Determining method |
|---|--------------|--------------------|
| Drinking water | 0.176 mg/l | |
| Seawater | 0.0176 mg/l | |
| Water (intermittent release) | 0.27 mg/l | |
| Microorganisms in wastewater treatment plants | 560 mg/l | |
| Freshwater sediment | 1.516 mg/kg | |
| Sea sediments | 0.152 mg/kg | |
| Soil (agricultural) | 0.654 mg/kg | |
| Oral | 111.11 mg/kg | |

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------------------|
| Physical state | liquid |
| Colour | brown |
| Odour | Characteristic for the materials used |
| Melting point/freezing point | data not available |
| Boiling point or initial boiling point and boiling range | data not available |
| Flammability | data not available |
| Lower and upper explosion limit | data not available |
| Flash point | data not available |
| Auto-ignition temperature | data not available |
| Decomposition temperature | data not available |
| pH | 14 (undiluted) |
| Kinematic viscosity | data not available |
| Solubility in water | soluble |



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th August 2000 | Version | 2.0 |
| Revision date | 17th February 2022 | | |

| | |
|---|-------------------------|
| Partition coefficient n-octanol/water (log value) | data not available |
| Vapour pressure | data not available |
| Density and/or relative density | |
| Density | 1,130 g/cm ³ |
| Relative vapour density | data not available |
| Particle characteristics | data not available |
| Form | liquid |

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

ATE mix = 1606 mg/kg - oral. Harmful if swallowed

2-(2-butoxyethoxy)ethanol

| Route of exposure | Parameter | Method | Value | Time of exposure | Species | Sex | Source |
|-------------------|------------------|--------|------------|------------------|---------|-----|--------|
| Oral | LD ₅₀ | | 2410 mg/kg | | Mouse | | SDS |
| Dermal | LD ₅₀ | | 2764 mg/kg | | Rabbit | | SDS |

D-glucopyranose, C8-10 alkyl glycosides oligomers

| Route of exposure | Parameter | Method | Value | Time of exposure | Species | Sex | Source |
|-------------------|------------------|----------|-------------|------------------|---------|-----|--------|
| Oral | LD ₅₀ | OECD 401 | >5000 mg/kg | | Rat | | SDS |
| Dermal | LD ₅₀ | OECD 402 | >5000 mg/kg | | | | SDS |

potassium hydroxide

| Route of exposure | Parameter | Method | Value | Time of exposure | Species | Sex | Source |
|-------------------|------------------|--------|-----------|------------------|---------|-----|--------|
| Oral | LD ₅₀ | | 273 mg/kg | | Rat | | |



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

Skin corrosion/irritation

Causes severe skin burns

D-glucofuranose, C8-10 alkyl glycosides oligomers

| Route of exposure | Result | Time of exposure | Species | Source |
|-------------------|---------------------|------------------|---------|--------|
| | Slightly irritating | | | SDS |

Serious eye damage/irritation

Causes serious eye damage.

D-glucofuranose, C8-10 alkyl glycosides oligomers

| Route of exposure | Result | Time of exposure | Species | Source |
|-------------------|--------------------|------------------|---------|--------|
| | Serious eye damage | | | SDS |

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-(2-butoxyethoxy)ethanol

| Parameter | Method | Value | Time of exposure | Species | Environment | Source |
|------------------|----------|-----------|------------------|---------------------------------------|-------------|--------|
| LC ₅₀ | | 1300 mg/l | | Fishes (Lepomis macrochirus) | | SDS |
| EC ₅₀ | | >100 mg/l | | Aquatic invertebrates (Daphnia magna) | | SDS |
| EC ₅₀ | OECD 201 | >100 mg/l | | Algae (Scenedesmus subspicatus) | | SDS |



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

2-(2-butoxyethoxy)ethanol

| Parameter | Method | Value | Time of exposure | Species | Environment | Source |
|-----------|----------|------------|------------------|---------|-------------|--------|
| EC 10 | OECD 209 | >1995 mg/l | | | | SDS |

D-glucopyranose, C8-10 alkyl glycosides oligomers

| Parameter | Method | Value | Time of exposure | Species | Environment | Source |
|------------------|----------|--------------|------------------|---------------------------------------|-------------|--------|
| LC ₅₀ | OECD 203 | >100 mg/l | 96 hour | Fishes (Branchydanio rerio) | | SDS |
| EC ₅₀ | | >100 mg/l | 48 hour | Aquatic invertebrates (Daphnia magna) | | SDS |
| EC ₅₀ | OECD 201 | >10<100 mg/l | 72 hour | Algae (Desmodesmus subspicatus) | | SDS |
| EC10 | | >100 mg/l | 6 hour | Microorganisms (Pseudomonas putida) | | SDS |
| NOEC | OECD 204 | >1 mg/l | 28 day | Fishes (Branchydanio rerio) | | SDS |
| NOEC | OECD 202 | >1 mg/l | 21 day | Daphnia (Daphnia magna) | | SDS |

12.2. Persistence and degradability

Biodegradability

D-glucopyranose, C8-10 alkyl glycosides oligomers

| Parameter | Value | Time of exposure | Environment | Result | Source |
|-----------|-------|------------------|-------------|---------------|-----------------------|
| | | | | Biodegradable | karta charakterystyki |

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th August 2000 | Version | 2.0 |
| Revision date | 17th February 2022 | | |

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1719

14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

No

14.6. Special precautions for user

not available

14.7. Maritime transport in bulk according to IMO instruments


not relevant

Additional information

Hazard identification No.

UN number

Safety signs



8



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date 10th August 2000
Revision date 17th February 2022 Version 2.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

| Restriction | Conditions of restriction |
|-------------|--|
| 55 | <p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p> |

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture.
potassium hydroxide: A Chemical Safety Assessment has been carried out.
2-(2-butoxyethoxy)ethanol: A Chemical Safety Assessment has been carried out
D-glucopyranose, C8-10 alkyl glycosides oligomers: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

| | |
|------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |

Guidelines for safe handling used in the safety data sheet

| | |
|----------------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P405 | Store locked up. |

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

| | |
|------------------|---|
| ADR | European agreement concerning the international carriage of dangerous goods by road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CE ₅₀ | Concentration of a substance when it is affected 50% of the population |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| DNEL | Derived no-effect level |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EmS | Emergency plan |
| EuPCS | European Product Categorisation System |
| IATA | International Air Transport Association |



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

| | | | |
|---------------|--------------------|---------|-----|
| Creation date | 10th August 2000 | Version | 2.0 |
| Revision date | 17th February 2022 | | |

| | |
|------------------|---|
| IBC | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| INCI | International Nomenclature of Cosmetic Ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| LC ₅₀ | Lethal concentration of a substance in which it can be expected death of 50% of the population |
| LD ₅₀ | Lethal dose of a substance in which it can be expected death of 50% of the population |
| log Kow | Octanol-water partition coefficient |
| LZO | Volatile organic compounds |
| MARPOL | International Convention for the Prevention of Pollution from Ships |
| NOEC | No observed effect concentration |
| OEL | Occupational Exposure Limits |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted no-effect concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Agreement on the transport of dangerous goods by rail |
| UE | European Union |
| UN | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB | Substances of unknown or variable composition, complex reaction products or biological materials |
| vPvB | Very Persistent and very Bioaccumulative |
| WE | Identification code for each substance listed in EINECS |
| Acute Tox. | Acute toxicity |
| Eye Dam. | Serious eye damage |
| Eye Irrit. | Eye irritation |
| Met. Corr. | Corrosive to metals |
| Skin Corr. | Skin corrosion |
| Skin Irrit. | Skin irritation |

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.