

according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KABINY PRYSZNICOWE

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Very effective, delicate product, designed for everyday upkeep of all elements of the shower cabin. Product is ready to use

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name TENZI Sp. z o.o.

Address Skarbimierzyce 20, Dołuje, 72-002

Poland

 VAT Reg No
 PL8512583405

 Phone
 +48 91 3119777

 E-mail
 info@tenzi.pl

 Web address
 www.tenzi.pl

Competent person responsible for the safety data sheet

Name technolog@tenzi.pl
E-mail technolog@tenzi.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Supplemental information

<5 % anionic surfactants, perfumes

none

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|--|----------------|---------------------|---|------|
| CAS: 77-92-9 EC: 201-069-1 Registration number: 01-2119457026-42- XXXX | citric acid | <5 | Eye Irrit. 2, H319 | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007
Revision date 07th April 2022 Version 2.0

| revision date | 07 til 7 pril 2022 | VCISIOII | 2.0 | |
|---|-----------------------------|---------------------|---|------|
| Identification numbers | Substance name | Content in % weight | 3 | Note |
| CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16- XXXX | Sodium Lauryl Ether Sulfate | <0,5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Irrit. 2, H319: $5\% \le C < 10\%$ Eye Dam. 1, H318: $C \ge 10\%$ | |

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

| Content | Packaging type | Material of package |
|---------|----------------|---------------------|
| 600 ml | bottle | HDPE |
| 1000 ml | bottle | HDPE |

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

DNEL

Sodium Lauryl Ether Sulfate

| Workers / consumers | Route of exposure | Value | Effect | Determining method | Source |
|---------------------|-------------------|----------------------|-----------------------|--------------------|--------------------------|
| Workers | Dermal | 2750 mg/kg | Local chronic effects | | karta charakterystyki |
| Workers | Inhalation | 175 mg/kg | Local chronic effects | | karta charakterystyki |
| Consumers | | 1650 mg/kg | Local chronic effects | | karta charakterystyki |
| Consumers | Inhalation | 52 mg/m ³ | Local chronic effects | | karta charakterystyki |
| Consumers | Food chain | 15 mg/m ³ | Local chronic effects | | karta charakterystyki |

PNEC

Sodium Lauryl Ether Sulfate

| Route of exposure | Value | Determining method |
|---|-------------|--------------------|
| Drinking water | 0.24 mg/l | |
| Seawater | 0.024 mg/l | |
| Freshwater sediment | 5.45 mg/kg | |
| Sea sediments | 0.545 mg/kg | |
| Microorganisms in wastewater treatment plants | 10 mg/l | |
| Soil (agricultural) | 0.946 mg/kg | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007 Revision date 07th April 2022

evision date 07th April 2022 Version 2.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Contaminated skin should be washed thoroughly.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour pink

Odour characteristic of the composition used for

Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available
Flammability data not available
Lower and upper explosion limit data not available
Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available

pH 1 (undiluted at 20 °C)
Kinematic viscosity data not available
Solubility in water soluble

Solubling in water Soluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density data not available
Relative density 1,023 g/cm3 (+-) 0,020
Form pink liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

citric acid

| Route of exposure | Parameter | Method | Value | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|--------|-------------|------------------|----------------------------|-----|--------------------|------------------------------|
| Oral | LD50 | | 11700 mg/kg | | Rat (Rattus norvegicus) | | | karta charakt erystyki |
| Oral | LD50 | | 5040 mg/kg | | Mouse | | | karta charakt erystyki |
| Dermal | LD50 | | 885 mg/kg | | Rat (Rattus norvegicus) | | | karta charakt erystyki |
| Dermal | LD50 | | 961 mg/kg | | Mouse | | | karta charakt erystyki |

Sodium Lauryl Ether Sulfate

| Route of exposure | Parameter | Method | Value | Time of exposure | Species | Sex | Determining method | Source |
|-----------------------|------------|----------|-------------|------------------|----------------------------|-----|--------------------|------------------------------|
| Oral | LD50 | / | >2000 mg/kg | | Rat (Rattus norvegicus) | | | karta charakt erystyki |
| Skin | LD50 | | >2000 mg/kg | | Rat (Rattus norvegicus) | | | karta charakt erystyki |
| Oral (drinking water) | NOAEL | OECD 416 | >300 mg/kg | | Rat (Rattus norvegicus) | F/M | | karta charakt erystyki |
| Oral (drinking water) | NOAEL (F1) | OECD 416 | >300 mg/kg | | Rat (Rattus norvegicus) | F/M | Reproduction | karta charakt erystyki |
| Oral | NOAEL | OECD 414 | >1000 mg/kg | 10 day | Rat (Rattus norvegicus) | | | karta charakt erystyki |
| Oral | NOAEL | OECD 414 | >1000 mg/kg | 10 day | Rat (Rattus norvegicus) | F | | karta charakt erystyki |
| Oral | NOAEL | OECD 408 | >225 mg/kg | 90 day | Rat (Rattus norvegicus) | | | karta charakt erystyki |

Skin corrosion/irritation

Based on available data the classification criteria are not met.

citric acid

| Route of exposure | Result | Time of exposure | Species | Source |
|-------------------|---------------------|------------------|---------|--------------------------|
| | Slightly irritating | | | karta charakterystyki |



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

Serious eye damage/irritation

Based on available data the classification criteria are not met.

citric acid

| Route of exposure | Result | Time of exposure | Species | Source |
|-------------------|------------|------------------|---------|--------------------------|
| | Irritating | | | karta charakterystyki |

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

citric acid

| Parameter | Method | Value | Time of exposure | Species | Environme nt | Source |
|-----------|--------|--------------|------------------|------------------------------------|--------------|------------------------------|
| LC50 | | 440-706 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | | karta charakter ystyki |

Sodium Lauryl Ether Sulfate

| Parameter | Method | Value | Time of exposure | Species | Environme nt | Source |
|-----------|----------|------------|------------------|---|--------------|------------------------------|
| LD50 | OECD 203 | >1-10 mg/l | 96 hour | Fishes (Branchydanio rerio) | | karta charakter ystyki |
| NOEC | | 1.2 mg/l | | Fishes (Branchydanio rerio) | | karta charakter ystyki |
| EC50 | OECD 202 | >1-10 mg/l | 48 hour | Other aquatic organisms (Daphnia magna) | | karta charakter ystyki |



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

Sodium Lauryl Ether Sulfate

| Parameter | Method | Value | Time of exposure | Species | Environme nt | Source |
|-----------|----------|---------------|------------------|---------------------------------------|--------------|------------------------------|
| NOEC | OECD 211 | >0.1-1.0 mg/l | 21 day | Daphnia (Daphnia magna) | | karta charakter ystyki |
| EC50 | OECD 201 | >10-100 mg/l | 72 hour | Algae (Desmodesmus subspicatus) | | karta charakter ystyki |
| EC10 | | 10000 mg/l | | Bacteria (Pseudomonas putida) | | karta charakter ystyki |

12.2. Persistence and degradability

Biodegradability

citric acid

| Parameter | Method | Value | Time of exposure | Environment | Result | Source |
|-----------|-----------|-------|------------------|-------------|-------------------------|------------------------------|
| | OECD 302B | >98 % | 2 day | | Easily biodegradable | karta charaktery styki |

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

Creation date 10th September 2007

Revision date 07th April 2022 Version 2.0

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

Nο

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture.

Citric acid: the manufacturer has performed a chemical safety assessment.

Sodium Lauryl Ether Sulfate: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CE₅₀ Concentration of a substance when it is affected 50% of the population CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals



according to Regulation (EC) No 1907/2006 (REACH) as amended

KABINY PRYSZNICOWE

| Creation date | 10th September 2007 | | |
|---------------|---------------------|---------|-----|
| Revision date | 07th April 2022 | Version | 2.0 |

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCIInternational Nomenclature of Cosmetic IngredientsISOInternational Organization for StandardizationIUPACInternational Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient LZO Volatile organic compounds

MARPOL International Convention for the Prevention of Pollution from Ships

NOAEL
NO observed adverse effect level
NOEC
No observed effect concentration
OEL
Occupational Exposure Limits
PBT
Persistent, Bioaccumulative and Toxic
PNEC
Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UE European Union

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

vPvB Very Persistent and very Bioaccumulative

WE Identification code for each substance listed in EINECS

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Skin Irrit. Skin irritation

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.